$$R_{3}$$
 R_{2}
 R_{1}
 R_{3}
 R_{1}
 R_{2}
 R_{1}
 R_{3}
 R_{2}
 R_{3}
 R_{3}
 R_{4}
 R_{5}
 R_{5}
 R_{1}
 R_{2}
 R_{1}

wherein:

R₁ and R₅ are each independently H, F, Cl, Br, CH₂F, CHF₂, CF₃, Me, or OMe;

R₂ and R₄ are each independently H, a branched C₃₋₆-alkyl, F, Cl, Br, CH₂F, CHF₂, CF₃, or

Me, wherein at least one of the groups R_2 or R_4 is a branched C_{3-6} -alkyl; and R_3 is H, F, Cl, Br, CH₂F, CHF₂, CF₃, or Me,

or a pharmacologically acceptable salt thereof.--

--2. (Amended) The compound according to claim 1, wherein:

R₁ and R₅ are each independently H, F, Cl, Br, CF₃, Me, or OMe;

R₂ and R₄ are each independently H, iPr, tert-Bu, F, Cl, Br, CF₃, or Me, wherein at least one of the groups R₂ or R₄ is iPr or tert-Bu; and

R₃ is H, F, Cl, Br, CF₃, or Me.--

--3. (Amended) The compound according to claim 1, wherein:

R₁ and R₅ are each independently H, F, Cl, Br, CF₃, Me, or OMe;

 R_2 and R_4 are each independently H, iPr, tert-Bu, or Me, wherein at least one of the groups R_2 or R_4 is iPr or tert-Bu; and

R₃ is H, F, Cl, Br, or Me.--

- --7. (Amended) A compound selected from the group consisting of:
- (a) 3'-isopropyl-2'-methylphen-1'-yl-2-iminoimidazolidine;
- (b) 3'-tert-butyl-6'-methoxyphen-1'-yl-2-iminoimidazolidine;
- (c) 6'-chloro-3'-isopropyl-2'-methylphen-1'-yl-2-iminoimidazolidine;
- (d) 4'-chloro-3'-isopropyl-2'-methylphen-1'-yl-2-iminoimidazolidine;
- (e) 6'-bromo-3'-isopropyl-2'-methylphen-1'-yl-2-iminoimidazolidine;
- (f) 6'-bromo-3'-tert-butylphen-1'-yl-2-iminoimidazolidine; and
- (g) 4'-bromo-3'-isopropyl-2'-methylphen-1'-yl-2-iminoimidazolidine.--



--21. (Amended) A method of treating urinary incontinence in a patient in need thereof, the method comprising administering to the patient an effective amount of the compound according to claim 1.--

13

- --22. (Amended) A method of treating urinary incontinence in a patient in need thereof, the method comprising administering to the patient an effective amount of the compound according to claim 2.--
- --23. (Amended) A method of treating urinary incontinence in a patient in need thereof, the method comprising administering to the patient an effective amount of the compound according to claim 3.--
- --24. (Amended) A method of treating urinary incontinence in a patient in need thereof, the method comprising administering to the patient an effective amount of the compound according to claim 4.--
- --25. (Amended) A method of treating urinary incontinence in a patient in need thereof, the method comprising administering to the patient an effective amount of the compound according to claim 5.--
- --26. (Amended) A method of treating urinary incontinence in a patient in need thereof, the method comprising administering to the patient an effective amount of the compound according to claim 6.--
- --27. (Amended) A method of treating urinary incontinence in a patient in need thereof, the method comprising administering to the patient an effective amount of the compound according to claim 7.--
- --28. (Amended) A method of treating urinary incontinence in a patient in need thereof, the method comprising administering to the patient an effective amount of the compound according to claim 8.--